
MAXHUB XCore Room Kit for Microsoft Teams Rooms

Model: XT10-WS Kit

MAXHUB XT10-WS Kit incorporates a high-quality Speakerphone and USB Camera. With the inclusion of a mobile Speakerphone and camera, this bundle adeptly caters to participants' dynamic audio and video needs, driving a flexible and seamless collaboration experience. Compatible with Microsoft Teams Rooms, the Kit also helps to facilitate the switch to Microsoft Teams Rooms smart spaces for BYOD scenarios, enhancing Teams-native audio and video experiences while accommodating cost-balance needs.









One Cable Technology



Device Management



Flexible & Ease of Installation



Easy Content Sharing



3-Year Warranty & Local support



Secured and Managed

XT10-WS Kit

Package Includes


• XC13T Mini-PC	×1
TCP20T Touch Control Panel	×1
• UC BM35	×1
• UC W31	×1

Package Physical Specifications

 Package dimension (L*W*H) 	890 × 270 × 265 mm / 35 × 10.6 × 10.4 in
• Net Weight	8.0 kg / 17.7 lbs
• Gross Weight	9.9 kg / 21.8 lbs

Environmental Conditions	
Operation Temperature	0°-40°C / 0°F-104°F
Operation Humidity	10%~90% RH
Storage Temperature	-20°C-60°C / -4°F-140°F
Storage Humidity	10%~90% RH
Altitude	Below 5000 m/ 16404 ft

Connection



Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with thelatest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

XT10-WS Kit

XC13T Mini-PC

Product Specification	
Type	Mini-PC
CPU	12th Gen intel i3
Memory	8GB DDR4 3200MHz SO-DIMM x 2
Storage	128GB SATA SSD (M.2-2280 SATA3 up to 6Gb/s)
Graphics	Intel® UHD Graphics for 12th Gen Intel® Processors;
Network	1000Mbps RJ45
Operating System	Windows 11 IoT Enterprise SAC
Application	Microsoft Teams Room

I/O Port	
USB-A 3.0	4
LAN	1
USB-C (For Teams Rooms Console)	1
HDMI OUT	1
Audio OUT	1
AC POWER	1
Kensington lock slot	1

Accessories (included in the package)		
Wall Bracket	×1	
PC Bracket	×1	
Cable Cover	×1	
HDMI Cable (1.8m/5.9ft)	×1	
Power Cord (1.8m/5.9ft)	×1	
Quick Start Guide	×1	

Power	
Power Supply Mode	AC Power
Power Requirements	100-240 VAC 50/60 Hz
Max Power	90W

Touch Control Panel TCP20T

Display	
Size	10.1 inch
Resolution	1920 (H) x 1200 (V)
Frequency Refresh Rate	60Hz
Back Light Unit	ELED
Brightness with glass	Min.250cd/m², Typ.300cd/m²
Life Time	≥ 20000 Hours

Touch System Type Capacitive touch Surface Treatment Anti-fingerprint, Anti-glare

I/O Port		
HDMI In (Content Sharing)	1	
USB-A 2.0 (For USB Audio Peripherals, Keyboard, Mouse only)	1	
USB-C 3.1 (for Connection to XC13T Mini PC)	1	
Audio Out (headphone ,w/o mic)	1	

Accessories (included in the package)	
USB Type-C Cable (Type C-C) 5m / 16.4ft	×1
HDMI Cable 1.8m / 5.9ft	×1
Quick Start Guide	×1

Sensor

Motion Sensor

XT10-WS Kit

Speakerphone UC BM35

Connection	Bluetooth dongle (USB-A) for wireless conn USB-C to USB-A Cable for wired connectio	
Compatible with	Compatible with Windows 7/8/8.1/10/11MA	AC OS 10.10 and above
User Interface Features		
Physical button user controls for	Touch button user controls for	LED Indicator light
Power on/off	Call/hang up	Annular LED
Bluetooth Pairing	Mute	
	Volume +/-	

Wireless	
Bluetooth	
Version	BT5.3
Operating Frequency	2.4GHz
Operating Distance	10m
Compatibility	Support audio playback, HD audio input
Battery	
Battery Type	Lithium-ion battery
Battery Capacity	4400mAh
Talk Time	up to 15h
Music Time	up to 8h

Audio Features	
Microphone	
Quantity	8
Voice Pickup Range	6m
Microphone Frequency Range	(1) USB: 100Hz ~ 12kHz; (2) Bluetooth: 100Hz ~ 7.5kHz
Speaker	
Sound Channel	1.1
Output Power	5W + 3W
Maximum Sound Pressure	80dBSPL@1m
Frequency Range	80Hz ~ 18kHz

What's in the box 1 x USB Cable(USB-C to USB-A, 1.0m/39.37 inch), Bluetooth dongle (USB-A)

4K USB Camera UC W31

Camera Parameters	
Image Sensor	1/2.3 inch
Pixel	12M
Output Resolution	H.264/MJ: (1) 3840×2160 (2) 2560×1440 (3) 1920×1080 (4) 1280×720 (5) 1024×576 (6) 960×540 (7) 800×600 (8) 640×480 (9) 640×360 (10) 480×270 (11) 352×288 (12) 320×240 (13) 320×180 NV12 / YUY2: (1) 1920×1080 (2) 1280×720 (3) 640×360
Field Of View	FOV(H): 109.1° FOV(V): 74.4° FOV(D): 120°
Touch Point	2.4
Digital Noise Reduction	Yes
Output Format	MJPG;H.264;YUY2;NV12
White Balance	Yes
Exposure	Yes

I/O Port		
USB-C 3.0 (Device)	1	
Accessories		
USB Cable (USB-C to USB-A, 1.8 m/5.9 ft)	×1	
Privacy Cover	×1	
Hand-tightened Screw	×1	







